

## RSK 2910784



32mm straight pipe with smooth end on both sides for surface piping. Length 1000mm, cuttable to the desired length. Made of ABS, which can be glued.

## RSK 2910800

32mm straight pipe with smooth end on both sides for surface piping. Length 2000mm, cuttable to the desired length. Made of ABS, which can be glued.

## RSK 2910826

32mm straight pipe with smooth end on both sides for surface piping. Length 2000mm, cuttable to the desired length. Made of ABS, which can be glued.

## RSK 8076341

32mm straight pipe with smooth end on both sides for surface piping. Length 225mm, can be cut to the desired length. Made of ABS, which can be glued.

## Specifications

<b>RSK Number</b>	2910784
<b>Function</b>	Visible piping
<b>Item Color</b>	White

<b>Material</b>	ABS
<b>Outlet Dimension</b>	Ø32 mm
<b>Pressure Flow Temp</b>	Max +70°C (+90°C)
<b>Size</b>	L=1 m
<b>Version</b>	Straight

<b>RSK Number</b>	2910800
<b>Function</b>	Visible piping
<b>Item Color</b>	White
<b>Material</b>	ABS
<b>Outlet Dimension</b>	Ø32 mm
<b>Pressure Flow Temp</b>	Max +70°C (+90°C)
<b>Size</b>	L=2 m
<b>Version</b>	Straight

<b>RSK Number</b>	2910826
<b>Function</b>	Visible piping
<b>Item Color</b>	White
<b>Material</b>	ABS
<b>Outlet Dimension</b>	Ø32 mm
<b>Pressure Flow</b>	Max +70°C (+90°C)

<b>Temp</b>	
<b>Size</b>	L=3 m
<b>Version</b>	Straight
<b>RSK Number</b>	8076341
<b>Function</b>	Visible piping
<b>Item Color</b>	White
<b>Material</b>	ABS
<b>Outlet Dimension</b>	Ø32 mm
<b>Pressure Flow Temp</b>	Max +70°C (+90°C)
<b>Size</b>	225 mm
<b>Version</b>	Straight

