

## RSK 7152479



The Balder 75 R Vertical floor drain has a 75mm vertical outlet and is for installation in wooden or concrete joists. The Balder floor drain comes complete with a removable stainless steel NOOD water trap, clamping ring and stainless steel grate. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. The floor drain also comes with a protective cover that is intended to prevent any concrete or debris from installation from entering the drain.

## RSK 7152411

The F92 B floor drain has a 75mm vertical outlet and is for installation in wooden or concrete joists. It comes complete with a removable stainless steel NOOD water trap, clamping ring and plastic grate. The NOOD water trap is a mechanical trap which closes when there is no water present, thus preventing any foul air from escaping through the drain. It also acts as a 1m water column and prevents backflow. The floor drain also comes with a protective cover that is intended to prevent any concrete or debris from installation from entering the drain.

## Specifications

<b>RSK Number</b>	7152479
<b>Floor Covering</b>	Concrete/Resin/Tiles/Vinyl
<b>Function</b>	Bottom outlet

<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404, PP
<b>Outlet Dimension</b>	Ø75 mm
<b>Pressure Flow Temp</b>	1,1 l/s
<b>Size</b>	150
<b>Surface</b>	Cold rolled (2B)
<b>Version</b>	With NOOD water trap
<b>RSK Number</b>	7152411
<b>Floor Covering</b>	Concrete/Resin/Tiles/Vinyl
<b>Function</b>	Bottom outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404, PP
<b>Outlet Dimension</b>	Ø75 mm
<b>Pressure Flow Temp</b>	1,1 l/s
<b>Size</b>	150
<b>Surface</b>	Cold rolled (2B)
<b>Version</b>	With NOOD water trap

