PURUS



RSK 7118085

The Sigyn 75 floor drain has a 75mm side outlet and is suitable for installation in wooden or concrete joists. The Sigyn floor drain comes with a stainless steel water trap, clamping ring and stainless steel grate. It also comes with a protective cover that is intended to prevent any concrete or debris from installation from entering the drain.

RSK 7110828

The Sigyn 75 Low floor drain has a 75mm low side outlet. The floor drain has a total height of 120mm and is suitable for installation in wooden or concrete joists. The Sigyn floor drain comes with a stainless steel water trap, clamping ring and stainless steel grate. It also comes with a protective cover that is intended to prevent any concrete or debris from installation from entering the drain.

Specifications

RSK Number	7118085
Floor Covering	Concrete/Resin/Tiles/Vinyl
Function	Side outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Ø75 mm

Pressure Flow Temp	1,0 l/s
Size	150
Surface	Cold rolled (2B)
Version	With stainless steel grating
RSK Number	7110828
Floor Covering	Concrete/Resin/Tiles/Vinyl
Function	Side outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Ø75 mm
Pressure Flow Temp	1,0 l/s
Size	150
Surface	Cold rolled (2B)

With stainless steel grating

Version

