



## RSK 7129978

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 200×400 mm.

## RSK 7129979

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 200×500 mm.

## RSK 7129982

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 300×500 mm.

## RSK 7129986

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 400×400 mm.

## RSK 7129989

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 500×400 mm.

## RSK 7129992

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 600×400 mm.

**RSK 7129993**

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 600×500 mm.

**RSK 7129938**

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 200×200 mm.

**RSK 7129945**

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 150×300 mm.

**RSK 7129946**

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 150×400 mm.

**RSK 7129947**

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions

150×500 mm.

RSK 7129967

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 150×300 mm.

RSK 7129977

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 200×300 mm.

RSK 7129985

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 400×300 mm.

## Specifications

<b>RSK Number</b>	7129978
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	200×400 mm

<b>Surface</b>	Pickled
<b>Version</b>	L15 grate
<b>RSK Number</b>	7129979
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	200×500 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate
<b>RSK Number</b>	7129982
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	300×500 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>RSK Number</b>	7129986
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	400×400 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>RSK Number</b>	7129989
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	500×400 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>RSK Number</b>	7129992
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless

<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	600×400 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate
<b>RSK Number</b>	7129993
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	600×500 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate
<b>RSK Number</b>	7129938
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15

<b>Size</b>	200×200 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate
<b>RSK Number</b>	7129945
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	150×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate
<b>RSK Number</b>	7129946
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	150×400 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>RSK Number</b>	7129947
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	150×500 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>RSK Number</b>	7129967
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	100×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

<b>RSK Number</b>	7129977
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless



<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	200×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate
<b>RSK Number</b>	7129985
<b>Function</b>	For Purus stainless channel
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Pressure Flow Temp</b>	L15
<b>Size</b>	400×300 mm
<b>Surface</b>	Pickled
<b>Version</b>	L15 grate

