RSK 7130114

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 100×200 mm.

RSK 7130116

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 100×300 mm.

RSK 7130117

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 100×350 mm.

RSK 7130118

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 100×400 mm.

RSK 7130119

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 100×500 mm.

RSK 7130120

Grid is made of stainless steel. Window grid is a non-slip grid with load class L15 (1500 kg) for easier driving traffic. Dimensions 100×1000 mm.

Specifications

RSK Number	7130114
Floor Construction	Empty
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	100×200 mm
Surface	Pickled
Version	L15 grate

RSK Number	7130116
Floor Construction	Empty
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15

Size	100×300 mm
Surface	Pickled
Version	L15 grate

RSK Number	7130117
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	100×350 mm
Surface	Pickled
Version	L15 grate

RSK Number	7130118
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	100×400 mm
Surface	Pickled
Version	L15 grate

RSK Number	7130119
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	100×500 mm
Surface	Pickled
Version	L15 grate

RSK Number	7130120
Function	For Purus stainless channel
Item Color	Stainless
Material	Stainless steel 1.4301
Pressure Flow Temp	L15
Size	100×1000 mm
Surface	Pickled
Version	L15 grate

Dimension L(mm)
200
300
350
400
500
1000

25

100

L