

## RSK 7101003

Outlet house untrapped in acid-resistant stainless steel with Ø110 bottom outlet and Ø110 connection to the drainage channel.



## RSK 7101018

Outlet gully untrapped in acid-resistant stainless steel with Ø110 vertical outlet and Ø220 connection to the drainage channel.

## RSK 7101013

Outlet gully untrapped in acid-resistant stainless steel with Ø110 vertical outlet and Ø150 connection to the drainage channel.

## Specifications

<b>RSK Number</b>	7101003
<b>Construction Height</b>	125
<b>Flow</b>	3,9
<b>Function</b>	Bottom outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Outlet Dimension</b>	Ø110 mm
<b>Pressure Flow Temp</b>	4,6 l/s

<b>Size</b>	Ø110 mm
<b>Surface</b>	Cold rolled (2B)
<b>Version</b>	Untrapped
<b>RSK Number</b>	7101018
<b>Construction Height</b>	256
<b>Flow</b>	>5,2
<b>Function</b>	Bottom outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Outlet Dimension</b>	Ø110 mm
<b>Pressure Flow Temp</b>	5,2 l/s
<b>Size</b>	Ø220 mm
<b>Surface</b>	Cold rolled (2B)
<b>Version</b>	Untrapped
<b>RSK Number</b>	7101013
<b>Construction Height</b>	132
<b>Flow</b>	>5,2
<b>Function</b>	Bottom outlet

<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Outlet Dimension</b>	Ø110 mm
<b>Pressure Flow Temp</b>	5,2 l/s
<b>Size</b>	Ø150 mm
<b>Surface</b>	Cold rolled (2B)
<b>Version</b>	Untrapped

