

RSK 7101003

Outlet house untrapped in acid-resistant stainless steel with Ø110 bottom outlet and Ø110 connection to the drainage channel.



RSK 7101018

Outlet gully untrapped in acid-resistant stainless steel with Ø110 vertical outlet and Ø220 connection to the drainage channel.

RSK 7101013

Outlet gully untrapped in acid-resistant stainless steel with Ø110 vertical outlet and Ø150 connection to the drainage channel.

Specifications

RSK Number	7101003
Construction Height	125
Flow	3,9
Function	Bottom outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Ø110 mm
Pressure Flow Temp	4,6 l/s

Size	110
Surface	Cold rolled (2B)
Version	Untrapped
RSK Number	7101018
Construction Height	256
Flow	>5,2
Function	Bottom outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Ø110 mm
Pressure Flow Temp	5,2 l/s
Size	220
Surface	Cold rolled (2B)
Version	Untrapped
RSK Number	7101013
Construction Height	132
Flow	>5,2
Function	Bottom outlet

Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Ø110 mm
Pressure Flow Temp	5,2 l/s
Size	150
Surface	Cold rolled (2B)
Version	Untrapped

