

## RSK 7098879

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.



## RSK 7098880

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 800×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

## RSK 7098882

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

## RSK 7098884

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098886

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098887

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098888

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment

and outlet house in plastic or acid-resistant stainless steel.

#### RSK 7098881

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

#### RSK 7098883

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1100×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

#### RSK 7098885

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with a mid outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

|                            |   |
|----------------------------|---|
| <b>RSK Number</b>          | 7098879   |
| <b>Construction Height</b> | 52  |
| <b>Floor Construction</b>  | Concrete flooring   |
| <b>Floor Covering</b>      | Concrete  |
| <b>Function</b>            | Central outlet  |
| <b>Item Color</b>          | Stainless   |
| <b>Material</b>            | Acid-resistant stainless steel 1.4404                             |
| <b>Outlet Dimension</b>    | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| <b>Size</b>                | 600×100 mm  |
| <b>Surface</b>             | Pickled   |
| <b>Version</b>             | Do not forget grid/outlet house                                   |

|                            |                                       |
|----------------------------|---------------------------------------|
| <b>RSK Number</b>          | 7098880                               |
| <b>Construction Height</b> | 52                                    |
| <b>Floor Construction</b>  | Concrete flooring                     |
| <b>Floor Covering</b>      | Concrete                              |
| <b>Function</b>            | Central outlet                        |
| <b>Item Color</b>          | Stainless                             |
| <b>Material</b>            | Acid-resistant stainless steel 1.4404 |

|                            |   |
|----------------------------|---|
| <b>Outlet Dimension</b>    | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| <b>Size</b>                | 800×100 mm  |
| <b>Surface</b>             | Pickled   |
| <b>Version</b>             | Do not forget grid/outlet house                                   |
| <b>RSK Number</b>          | 7098882   |
| <b>Construction Height</b> | 52  |
| <b>Floor Construction</b>  | Concrete flooring   |
| <b>Floor Covering</b>      | Concrete  |
| <b>Function</b>            | Central outlet  |
| <b>Item Color</b>          | Stainless   |
| <b>Material</b>            | Acid-resistant stainless steel 1.4404                             |
| <b>Outlet Dimension</b>    | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| <b>Size</b>                | 1000×100 mm   |
| <b>Surface</b>             | Pickled   |
| <b>Version</b>             | Do not forget grid/outlet house                                   |
| <b>RSK Number</b>          | 7098884   |
| <b>Construction Height</b> | 52  |
| <b>Floor</b>               |   |

|                            |   |
|----------------------------|---|
| <b>Construction</b>        | Concrete flooring   |
| <b>Floor Covering</b>      | Concrete  |
| <b>Function</b>            | Central outlet  |
| <b>Item Color</b>          | Stainless   |
| <b>Material</b>            | Acid-resistant stainless steel 1.4404                             |
| <b>Outlet Dimension</b>    | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| <b>Size</b>                | 1200×100 mm   |
| <b>Surface</b>             | Pickled   |
| <b>Version</b>             | Do not forget grid/outlet house                                   |
| <b>RSK Number</b>          | 7098886   |
| <b>Construction Height</b> | 52  |
| <b>Floor Construction</b>  | Concrete flooring   |
| <b>Floor Covering</b>      | Concrete  |
| <b>Function</b>            | Central outlet  |
| <b>Item Color</b>          | Stainless   |
| <b>Material</b>            | Acid-resistant stainless steel 1.4404                             |
| <b>Outlet Dimension</b>    | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| <b>Size</b>                | 1500×100 mm   |

|                            |   |
|----------------------------|---|
| <b>Surface</b>             | Pickled   |
| <b>Version</b>             | Do not forget grid/outlet house                                   |
| <b>RSK Number</b>          | 7098887   |
| <b>Construction Height</b> | 52  |
| <b>Floor Construction</b>  | Concrete flooring   |
| <b>Floor Covering</b>      | Concrete  |
| <b>Function</b>            | Central outlet  |
| <b>Item Color</b>          | Stainless   |
| <b>Material</b>            | Acid-resistant stainless steel 1.4404                             |
| <b>Outlet Dimension</b>    | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| <b>Size</b>                | 2000×100 mm   |
| <b>Surface</b>             | Pickled   |
| <b>Version</b>             | Do not forget grid/outlet house                                   |
| <b>RSK Number</b>          | 7098888   |
| <b>Construction Height</b> | 52  |
| <b>Floor Construction</b>  | Concrete flooring   |
| <b>Floor Covering</b>      | Concrete  |

|                         |   |
|-------------------------|---|
| <b>Function</b>         | Central outlet  |
| <b>Item Color</b>       | Stainless   |
| <b>Material</b>         | Acid-resistant stainless steel 1.4404                             |
| <b>Outlet Dimension</b> | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| <b>Size</b>             | 2500×100 mm   |
| <b>Surface</b>          | Pickled   |
| <b>Version</b>          | Do not forget grid/outlet house                                   |

|                            |                   |
|----------------------------|-------------------|
| <b>RSK Number</b>          | 7098881           |
| <b>Construction Height</b> | 52                |
| <b>Floor Construction</b>  | Concrete flooring |
| <b>Floor Covering</b>      | Concrete          |

|                         |   |
|-------------------------|---|
| <b>Function</b>         | Central outlet  |
| <b>Item Color</b>       | Stainless   |
| <b>Material</b>         | Acid-resistant stainless steel 1.4404                             |
| <b>Outlet Dimension</b> | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| <b>Size</b>             | 900×100 mm  |
| <b>Surface</b>          | Pickled   |
| <b>Version</b>          | Do not forget grid/outlet house                                   |



|                            |   |
|----------------------------|---|
| <b>RSK Number</b>          | 7098883   |
| <b>Construction Height</b> | 52  |
| <b>Floor Construction</b>  | Concrete flooring   |
| <b>Floor Covering</b>      | Concrete  |
| <b>Function</b>            | Central outlet  |
| <b>Item Color</b>          | Stainless   |
| <b>Material</b>            | Acid-resistant stainless steel 1.4404                             |
| <b>Outlet Dimension</b>    | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| <b>Size</b>                | 1100×100 mm   |
| <b>Surface</b>             | Pickled   |
| <b>Version</b>             | Do not forget grid/outlet house                                   |

|                            |                                       |
|----------------------------|---------------------------------------|
| <b>RSK Number</b>          | 7098885                               |
| <b>Construction Height</b> | 52                                    |
| <b>Floor Construction</b>  | Concrete flooring                     |
| <b>Floor Covering</b>      | Concrete                              |
| <b>Function</b>            | Central outlet                        |
| <b>Item Color</b>          | Stainless                             |
| <b>Material</b>            | Acid-resistant stainless steel 1.4404 |

**Outlet Dimension**

Bottom/side in plastic or stainless steel  
in Ø50, Ø75 or Ø 110 mm

**Size**

1400×100 mm

**Surface**

Pickled

**Version**

Do not forget grid/outlet house

| Dimension (mm) | LxW (mm) |
|----------------|----------|
| 600x100        | 602x101  |
| 800x100        | 802x101  |
| 900x100        | 902x101  |
| 1000x100       | 1002x101 |
| 1100x100       | 1102x101 |
| 1200x100       | 1202x101 |
| 1400x100       | 1402x101 |
| 1500x100       | 1502x101 |
| 2000x100       | 2002x101 |
| 2500x100       | 2502x101 |

