

RSK 7098889

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.



RSK 7098890

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 800×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098892

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098894

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098896

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098897

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098898

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment

and outlet house in plastic or acid-resistant stainless steel.

RSK 7098891

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098893

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1100×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098895

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with a deep end outlet and is intended for epoxy flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

| | |
|----------------------------|---|
| RSK Number | 7098889 |
| Construction Height | 66 |
| Floor Construction | Concrete flooring |
| Floor Covering | Resin |
| Function | End outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Outlet Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Size | 600×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| RSK Number | 7098890 |
| Construction Height | 66 |
| Floor Construction | Concrete flooring |
| Floor Covering | Resin |
| Function | End outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |

| | |
|----------------------------|---|
| Outlet Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Size | 800×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| RSK Number | 7098892 |
| Construction Height | 66 |
| Floor Construction | Concrete flooring |
| Floor Covering | Resin |
| Function | End outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Outlet Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Size | 1000×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| RSK Number | 7098894 |
| Construction Height | 71 |
| Floor | |

| | |
|----------------------------|---|
| Construction | Concrete flooring |
| Floor Covering | Resin |
| Function | End outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Outlet Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Size | 1200×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| RSK Number | 7098896 |
| Construction Height | 71 |
| Floor Construction | Concrete flooring |
| Floor Covering | Resin |
| Function | End outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Outlet Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Size | 1500×100 mm |

| | |
|----------------------------|---|
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| RSK Number | 7098897 |
| Construction Height | 76 |
| Floor Construction | Concrete flooring |
| Floor Covering | Resin |
| Function | End outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Outlet Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Size | 2000×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |
| RSK Number | 7098898 |
| Construction Height | 76 |
| Floor Construction | Concrete flooring |
| Floor Covering | Resin |

| | |
|-------------------------|---|
| Function | End outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Outlet Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Size | 2500×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |

| | |
|----------------------------|-------------------|
| RSK Number | 7098891 |
| Construction Height | 66 |
| Floor Construction | Concrete flooring |
| Floor Covering | Resin |

| | |
|-------------------------|---|
| Function | End outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Outlet Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Size | 900×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |

| | |
|----------------------------|---|
| RSK Number | 7098893 |
| Construction Height | 71 |
| Floor Construction | Concrete flooring |
| Floor Covering | Resin |
| Function | End outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |
| Outlet Dimension | Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm |
| Size | 1100×100 mm |
| Surface | Pickled |
| Version | Do not forget grid/outlet house |

| | |
|----------------------------|---------------------------------------|
| RSK Number | 7098895 |
| Construction Height | 71 |
| Floor Construction | Concrete flooring |
| Floor Covering | Resin |
| Function | End outlet |
| Item Color | Stainless |
| Material | Acid-resistant stainless steel 1.4404 |

Outlet Dimension

Bottom/side in plastic or stainless steel
in Ø50, Ø75 or Ø 110 mm

Size

1400×100 mm

Surface

Pickled

Version

Do not forget grid/outlet house

| Dimension (mm) | LxW (mm) | H (mm) |
|----------------|----------|--------|
| 600x100 | 602x101 | 66,3 |
| 800x100 | 802x101 | 66,3 |
| 900x100 | 902x101 | 66,3 |
| 1000x100 | 1002x101 | 66,3 |
| 1100x100 | 1102x101 | 71,3 |
| 1200x100 | 1202x101 | 71,3 |
| 1400x100 | 1402x101 | 71,3 |
| 1500x100 | 1502x101 | 71,3 |
| 2000x100 | 2002x101 | 76,3 |
| 2500x100 | 2502x101 | 76,3 |

