

RSK 7098949



Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×100 mm with a deep end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098950

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 800×100 mm with a deep end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098951

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 900×100 mm with a deep end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098952

Purus channel 100 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×100 mm with a deep end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098953

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1100×100 mm with a deep end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098954

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1200×100 mm with a deep end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098955

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1400×100 mm with a deep end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the

environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098956

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×100 mm with a deep end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098957

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×100 mm with a deep end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098958

Purus channel 100 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 2500×100 mm with a deep end outlet and is intended for tile flooring with glue flange. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK Number	7098949
Construction Height	66
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	600×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

RSK Number	7098950
Construction Height	66
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404

Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	800×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
RSK Number	7098951
Construction Height	66
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	900×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
RSK Number	7098952
Construction Height	66
Floor	

Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1000×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
RSK Number	7098953
Construction Height	71
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1100×100 mm

Surface	Pickled
Version	Do not forget grid/outlet house
RSK Number	7098954
Construction Height	71
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1200×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house
RSK Number	7098955
Construction Height	71
Floor Construction	Concrete flooring
Floor Covering	Tiles

Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1400×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

RSK Number	7098956
Construction Height	71
Floor Construction	Concrete flooring
Floor Covering	Tiles

Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	1500×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

RSK Number	7098957
Construction Height	76
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404
Outlet Dimension	Bottom/side in plastic or stainless steel in Ø50, Ø75 or Ø 110 mm
Size	2000×100 mm
Surface	Pickled
Version	Do not forget grid/outlet house

RSK Number	7098958
Construction Height	76
Floor Construction	Concrete flooring
Floor Covering	Tiles
Function	End outlet
Item Color	Stainless
Material	Acid-resistant stainless steel 1.4404

Outlet Dimension

Bottom/side in plastic or stainless steel
in Ø50, Ø75 or Ø 110 mm

Size

2500×100 mm

Surface

Pickled

Version

Do not forget grid/outlet house

Dimension (mm)	LxW (mm)	H (mm)
600x100	602x101	68,3
800x100	802x101	68,3
900x100	902x101	68,3
1000x100	1002x101	68,3
1100x100	1102x101	73,3
1200x100	1202x101	73,3
1400x100	1402x101	73,3
1500x100	1502x101	73,3
2000x100	2002x101	78,3
2500x100	2502x101	78,3

