

RSK 7098818



Purus channel 200 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×200 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098820

Purus channel 200 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×200 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098822

Purus channel 200 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×200 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

RSK 7098824

Purus channel 200 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×200 mm with a deep end outlet and is intended for concrete flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

Specifications

RSK Number	7098818
Construction Height	65
Electrical Data	6 l
Floor Construction	Concrete flooring
Floor Covering	Concrete
Function	End outlet
Item Color	Stainless
Material	Stainless steel 1.4301
Outlet Dimension	Side/bottom in stainless steel in Ø75/Ø110 mm
Size	600×200 mm
Surface	Pickled
Version	Do not forget grid/outlet house
RSK Number	7098820
Construction	65

Height	
Electrical Data	10 l
Floor Construction	Concrete flooring
Floor Covering	Concrete
Function	End outlet
Item Color	Stainless
Material	Stainless steel 1.4301
Outlet Dimension	Side/bottom in stainless steel in Ø75/Ø110 mm
Size	1000×200 mm
Surface	Pickled
Version	Do not forget grid/outlet house
RSK Number	7098822
Construction Height	70
Electrical Data	15 l
Floor Construction	Concrete flooring
Floor Covering	Concrete
Function	End outlet
Item Color	Stainless
Material	Stainless steel 1.4301

Outlet Dimension	Side/bottom in stainless steel in Ø75/Ø110 mm
Size	1500×200 mm
Surface	Pickled
Version	Do not forget grid/outlet house
RSK Number	7098824
Construction Height	75
Electrical Data	20 l
Floor Construction	Concrete flooring
Floor Covering	Concrete
Function	End outlet
Item Color	Stainless
Material	Stainless steel 1.4301
Outlet Dimension	Side/bottom in stainless steel in Ø75/Ø110 mm
Size	2000×200 mm
Surface	Pickled
Version	Do not forget grid/outlet house

Dimension (mm)	LxW (mm)	H (mm)
600x200	603x203	65
1000x200	1003x203	65
1500x200	1503x203	70
2000x200	2003x203	75

