

## RSK 7098843

Purus channel 200 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 600×200 mm with a mid outlet and is intended for tile flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.



## RSK 7098845

Purus channel 200 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1000×200 mm with a mid outlet and is intended for tile flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

## RSK 7098847

Purus channel 200 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 1500×200 mm with a mid outlet and is intended for tile flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

## RSK 7098849

Purus channel 200 is a floor channel made

of acid-resistant stainless steel for installation in concrete. The floor channel is 2000×200 mm with a mid outlet and is intended for tile flooring. The floor channel needs to be supplemented with a grating/grid depending on the environment and outlet house in plastic or acid-resistant stainless steel.

## Specifications

<b>RSK Number</b>	7098843
<b>Construction Height</b>	60
<b>Electrical Data</b>	5 l
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Tile floor with glueing flange
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Outlet Dimension</b>	Side/bottom in stainless steel in Ø75/Ø110 mm
<b>Size</b>	600×200 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house
<b>RSK Number</b>	7098845
<b>Construction</b>	60

<b>Height</b>	
<b>Electrical Data</b>	9 l
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Tile floor with glueing flange
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Outlet Dimension</b>	Side/bottom in stainless steel in Ø75/Ø110 mm
<b>Size</b>	1000×200 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house
<b>RSK Number</b>	7098847
<b>Construction Height</b>	60
<b>Electrical Data</b>	11 l
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Tile floor with glueing flange
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301

<b>Outlet Dimension</b>	Side/bottom in stainless steel in Ø75/Ø110 mm
<b>Size</b>	1500×200 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house
<b>RSK Number</b>	7098849
<b>Construction Height</b>	60
<b>Electrical Data</b>	15 l
<b>Floor Construction</b>	Concrete flooring
<b>Floor Covering</b>	Tile floor with glueing flange
<b>Function</b>	Central outlet
<b>Item Color</b>	Stainless
<b>Material</b>	Stainless steel 1.4301
<b>Outlet Dimension</b>	Side/bottom in stainless steel in Ø75/Ø110 mm
<b>Size</b>	2000×200 mm
<b>Surface</b>	Pickled
<b>Version</b>	Do not forget grid/outlet house

Dimension (mm)	LxW (mm)
600x200	603x203
1000x200	1003x203
1500x200	1503x203
2000x200	2003x203

