


RSK 7098757

Purus channel square 200 is a floor channel made of acid-resistant stainless steel for installation in concrete flooring. The floor channel is 200x200 och är avsedd för klinkergolv som ytskikt. The floor channel needs to be supplemented with grating/grid depending on the environment and outlet house in acid-resistant stainless steel.



RSK 7098761

Purus channel square 300 is a floor channel made of acid-resistant stainless steel for installation in concrete. The floor channel is 300x300, suitable for concrete floor build-ups only. The floor channel needs to be supplemented with grating/grid depending on the environment and outlet house in acid-resistant stainless steel.

Specifications

Size	200x200x50
RSK Number	7098757
Floor Construction	Concrete flooring
Material	Acid-resistant stainless steel 1.4404
Floor Covering	Tile floor with glueing flange
Construction Height	60
Surface	Pickled

Version	Do not forget grid/outlet house
Item Color	Stainless
Outlet Dimension	Side/bottom in stainless steel in Ø75/Ø110 mm
Function	Central outlet
Electrical Data	1,9 l
Size	300x300x50
RSK Number	7098761
Floor Construction	Concrete flooring
Material	Acid-resistant stainless steel 1.4404
Floor Covering	Tile floor with glueing flange
Construction Height	60
Surface	Pickled
Version	Do not forget grid/outlet house
Item Color	Stainless
Outlet Dimension	Side/bottom in stainless steel in Ø75/Ø110 mm
Function	Central outlet
Electrical Data	3,9 l

Dimension (mm)	LxW (mm)	Ø (mm)
200x200	203x203	150
300x300	303x303	220

