

## RSK 7130026

Tile Insert tile box made of acid-resistant stainless steel. Tile Insert is a non-slip grating with load class K3 (300 kg) for lighter pedestrian traffic / barefoot friendly.



## RSK 7130027

Tile Insert tile box made of acid-resistant stainless steel. Tile Insert is a non-slip grating with load class K3 (300 kg) for lighter pedestrian traffic / barefoot friendly.

## RSK 7130031

Tile Insert tile box made of acid-resistant stainless steel. Tile Insert is a non-slip grating with load class K3 (300 kg) for lighter pedestrian traffic / barefoot friendly.

## RSK 7130025

Tile Insert tile box made of acid-resistant stainless steel. Tile Insert is a non-slip grating with load class K3 (300 kg) for lighter pedestrian traffic / barefoot friendly.

## RSK 7130028

Tile Insert tile box made of acid-resistant stainless steel. Tile Insert is a non-slip grating with load class K3 (300 kg) for lighter pedestrian traffic / barefoot friendly.

## RSK 7130030

Tile Insert tile box made of acid-resistant stainless steel. Tile Insert is a non-slip grating with load class K3 (300 kg) for lighter pedestrian traffic / barefoot friendly.

RSK 7130029

Tile Insert tile box made of acid-resistant stainless steel. Tile Insert is a non-slip grating with load class K3 (300 kg) for lighter pedestrian traffic / barefoot friendly.

## Specifications

<b>RSK Number</b>	7130026
<b>Floor Covering</b>	Tiles
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Pressure Flow Temp</b>	K3
<b>Size</b>	600×100 mm
<b>Surface</b>	Cold rolled (2B)
<b>Version</b>	Tile Insert
<b>RSK Number</b>	7130027
<b>Floor Covering</b>	Tiles
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404

<b>Pressure Flow Temp</b>	K3
<b>Size</b>	800×100 mm
<b>Surface</b>	Cold rolled (2B)
<b>Version</b>	Tile Insert
<b>RSK Number</b>	7130031
<b>Floor Covering</b>	Tiles
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Pressure Flow Temp</b>	K3
<b>Size</b>	1200×100 mm
<b>Surface</b>	Cold rolled (2B)
<b>Version</b>	Tile Insert
<b>RSK Number</b>	7130025
<b>Floor Covering</b>	Tiles
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Pressure Flow Temp</b>	K3
<b>Size</b>	500×100 mm

<b>Surface</b>	Cold rolled (2B)
<b>Version</b>	Tile Insert
<b>RSK Number</b>	7130028
<b>Floor Covering</b>	Tiles
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Pressure Flow Temp</b>	K3
<b>Size</b>	900×100 mm
<b>Surface</b>	Cold rolled (2B)
<b>Version</b>	Tile Insert
<b>RSK Number</b>	7130030
<b>Floor Covering</b>	Tiles
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Pressure Flow Temp</b>	K3
<b>Size</b>	1100×100 mm
<b>Surface</b>	Cold rolled (2B)
<b>Version</b>	Tile Insert

<b>RSK Number</b>	7130029
<b>Floor Covering</b>	Tiles
<b>Item Color</b>	Stainless
<b>Material</b>	Acid-resistant stainless steel 1.4404
<b>Pressure Flow Temp</b>	K3
<b>Size</b>	1000×100 mm
<b>Surface</b>	Cold rolled (2B)
<b>Version</b>	Tile Insert

